

NCR SelfServ™ 28

Fully Weatherized Freestanding Cash Dispenser

The only fully weatherized, freestanding ATM on the market

To be the stand out leaders in self-service banking your brand has to be where your customers are. The NCR SelfServ 28 does just that because it can be placed completely anywhere you want it to be—at sporting events or even music concerts. Indoors or

NCR SelfServ™ 28 outdoors, the SelfServ 28 can be positioned with minimal infrastructure requirements—providing you with maximum brand exposure and large transaction volumes and revenue generation opportunities.

Availability

Keep your ATMs up and running, offering your customers the transactions they want, when and where they need them. NCR's express recovery and self-healing technologies reduce downtime from hours to minutes—making your ATMs available around the clock.

Consumer Experience

SelfServ 28 is a fusion of digital design and the powerful S2 Media Dispense Module from NCR. Designed to meet global media handling requirements, the S2 Media Dispense Module is key to providing secure and reliable access to cash for consumers at the ATM.

Security & Performance

The SelfServ 28 is designed with security at heart. Ask us about our multi-layered approach to ATM security.



For more information, visit ncr.com, or email ncr.financial@ncr.com.

Key features

- 15" LCD multi-touch screen or FDK
- S2 Media Dispense Module with up to 60 note bunch capacity
- Tamper Resistant Card Readers
- Integrated Skimming Protection Solution (SPS)
- A range of Intel® Processors
- Microsoft Windows® 7 / Windows® 10 Ready

Technical specifications

Product dimensions

• HEIGHT	61.1"	(1,552mm)
• WIDTH	19.3"	(490mm)
With air conditioning	24.1"	(612mm)
• DEPTH	32.1"	(814mm)
• WEIGHT	1.213lbs	(550kg)

Consumer interface

- Display – 15" LCD, FDK or touchscreen, optional privacy filter, sunlight readable displays
- Keyboard – EPP (PCI compliant), polycarbonate or stainless steel
- Tamper Resistant Card Readers – Smart Dip, Track 2 or Track 3 IMCRW with CROFF
- Contactless Option (via card, smartphone or smartwatch)
- Integrated Media Entry and Exit Indicators (MEEI)
- Audio – Optional high quality public audio and/or sound jack with volume control
- Advert Panel - Standard or enhanced with backlight
- Barcode Reader - 2D Barcode supports both 1D and 2D documents 1D and 2D documents

DISPENSER

- Dispense – S2 Media Dispense Module: up to 60 note bunch, 2-4 cassettes 2,500 notes per cassette, vacuum based with adaptive pick technology
- Configurable purge bin capability with retract and single note divert
- Anti-overfill cassette

SERVICING

- Front access only

PRINTERS

- Receipt Printer - 80mm 203dpi graphics thermal printer. Options - retract and capture, dual roll and/or 2ST™ (two-sided thermal printing)
- Journal Printer - 80mm 203dpi graphics thermal printer (E-Journal available as default)

SECURITY

- NCR Secure™ is a complete portfolio of multi-layered solutions and services designed to provide protection against ATM attacks. Including a range of physical enclosures, recessed PIN Pad and Solidcore software security to protect your network
- CEN I safe
- Integrated Skimming Protection Solution (SPS)

ENVIRONMENTAL

- Temperature: Standard: 31°F to 104°F (-35°C to 40°C)
With air-conditioner: -31°F to 122°F (-35°C to 50°C)
- Humidity: 10% to 100%
- Acoustics: Sound power 65db (A) idle, 68db (A) operating

OPERATING PLATFORM

- A range of Intel® Processors
- 4GB, 8GB or 16GB RAM
- Primary or Secondary Hard Disk Drive or Solid State Drive
- DVD-RW drive

SOFTWARE

- Windows® 7 / Windows® 10 ready
- NCR Software Suite

Why NCR?

NCR Corporation (NYSE: NCR) is a leading software and services-led enterprise provider in the financial, retail, hospitality, small business and telecom and technology industries. We run key aspects of our clients' business so they can focus on what they do best.

NCR is headquartered in Atlanta, GA with 34,000 employees and solutions in 141 countries. NCR is a trademark of NCR Corporation in the United States and other countries.

NCR continually improves products as new technologies and components become available. NCR, therefore, reserves the right to change specifications without prior notice.

All features, functions and operations described herein may not be marketed by NCR in all parts of the world. Consult your NCR representative or NCR office for the latest information.

All brand and product names appearing in this document are trademarks, registered trademarks or service marks of their respective holders.

© 2020 NCR Corporation Patents Pending

012320_PM-FIN_0220 ncr.com



